References:

1. Asadi-Samani M, Kooti W, AE, Shirzad H.(2015) A systematic review of Iran's medicinal plants with anticancer effects. J Evid Based Complementary Altern Med. 21:145-153
2. Atta A.(1998), Anti-nociceptive and anti-inflammatory effects of some Jordanian medicinal plant extracts. J Ethnopharmacol. 60: 117-124
3. Bhattacharjee SK.(2004), Handbook of Medicinal Plants. 4th ed. Jaipur, India: Pointer; 2004.
4. Combs, A.(2010), Recent Advances in the Discovery of Competitive Protein Tyrosine Phosphatase 1B Inhibitors for the Treatment of Diabetes, Obesity, and Cancer. J. Med. Chem., 53(6), 2333-2344.
5. Gelodar G, Nazify H, Abadi S.(1997), Effect of celery, apple tart and carrots on some biochemical parameters in diabetic rats. J Kerman Univ Med Sci. 3:114-119.
6. Grzanna R, Lindmark L, Frondoza C.(2005) Ginger—an herbal medicinal product with broad anti-inflammatory actions. J Med Food. 8:125-132
7. Gauri M, Javed Ali S, Shahid Khan M.(2015), A review of Apiumgraveolens (Karafs) with special reference to Unani medicine. Int Arch Integr Med. 2:131-136.
8. GhasemiPirbalouti A.(2009) Iranian Medicinal and Aromatic Plants. Shahrekord, Iran: Islamic Azad University.
9. Ghasemiboron M, Mansori E, Asadi-Samani M, et al.(2014) Effect of ointment with cabbage, pomegranate peel, and common plantain on wound healing in male rat. JShahrekordUniv Med Sci. 15(6):92-100.
10. He, R., Yu, Z., Zhang, R. and Zhang, Z.(2014), Protein tyrosine phosphatases as potential therapeutic targets. ActaPharmacologica Sinica,35(10),1227-1246.
11. Jiang, C., Liang, L. and Guo, Y.(2012), Natural products possessing protein tyrosine phosphatase 1B (PTP1B) inhibitory activity found in the last decades. ActaPharmacologicaSinica, 33(10),1217-1245.
12. Kooti W, Ghasemiboroon M, Asadi-Samani M, et al.(2014), The effects of hydro-alcoholic extract of celery on lipid profile of rats fed a high fat diet. Adv Environ Biol.8:325-330

13. Kooti W, Moradi M, Ali-Akbari S, Sharafi-Ahvazi N, AsadiSamani M, Ashtary-Larky D.(2015), Therapeutic and pharmacological potential of Foeniculum vulgare Mill: a review. J Herb Med Pharmacol. 4:1-9
14. Kooti W, Farokhipour M, Asadzadeh Z, Ashtary-Larky D, AsadiSamani M.(2016), The role of medicinal plants in the treatment of diabetes: a systematic review. Electronic Physician. 8: 1832-1842.
15. Kolarovic J, Popovic M, Mikov M, Mitic R, Gvozdenovic L.(2009) Protective effects of celery juice in treatments with doxorubicin. Molecules. 14:1627-1638.
16. Khare CP.(2008), Indian Medicinal Plants. London, England: Springer Science.
17. Kooti W, Ali-Akbari S, Asadi-Samani M, Ghadery H, AshtaryLarky D.(2014), A review on medicinal plant of Apiumgraveolens. Adv Herb Med. 1:48-59.
18. Kooti W, Ghasemiboroon M, Ahangarpoor A, et al.(2014) The effect of hydro-alcoholic extract of celery on male rats in fertility control and sex ratio of rat offspring. J BabolUniv Med Sci.16(4): 43-49.
19. Karnick CR. Pharmacopoeial Standards of Herbal Plants.(1994) New Delhi, India: Sri Satguru Publications.
20. Kooti W, Mansouri E, Ghasemiboroon M, Harizi M, AshtaryLarky D, Afrisham R.(2014), The effects of hydroalcoholic extract of Apiumgraveolens leaf on the number of sexual cells and testicular structure in rat. Jundishapur J Nat Pharm Prod. 9(4):e17532
21. Kooti W, Mansori E, Ghasemiboroon M, Harizi M, Amirzarga A.(2014), Protective effects of celery (Apiumgraveolens) on testis and cauda epididymal spermatozoa in rat. Iranian J Reprod Med.12:365-366.
22. Khare CP.(2007), Indian Medicinal Plants. New Delhi, India: Springer.
23. Kritikar KR, Basu BD.(2008) Indian Medicinal Plants. 2nd ed. Vols 1 and 2. Dehradun, India: International Book Distributors;.
24. Khalid Niaz, Seemi Gull. M. Azam Zia,(2013),Antihyperglycemic/ Hypoglycemic Effect of Celery Seeds (Ajwain / Ajmod) in Streptozotocin induced Diabetic Rats, Journal of Rawalpindi Medical College; 17(1), 134-137
25. Lans CA.(2006)Ethnomedicines used in Trinidad and Tobago for urinary problems and diabetes mellitus. J EthnobiolEthnomed. 2:45

26. Momin RA, Nair MG.(2001),Mosquitocidal, nematicidal, and antifungal compounds from Apiumgraveolens L. seeds. J Agric Food Chem. 49:142-145
27. Mencherini T, Cau A, Bianco G, Della Loggia R, Aquino RP, Autore G.(2007) An extract of Apiumgraveolens var. dulce leaves: structure of the major constituent, apiin, and its antiinflammatory properties. J Pharm Pharmacol. 59:891-897
28. Navale, A.M., Paranjape, A., Pithadia, A. and Mansuri, J.(2013) Upcoming Drugs in Treatment ofDiabetes Mellitus: Peering into the Crystal Ball. Pharmagene, 1(2), 74-79.
29. Noori Ahmad Abadi M, Mortazavi M, Kalani N, ZareMarzouni H, Kooti W, Ali-Akbari S.(2016) Effect of hydroalcoholic extract of Rosmarinus officinalis L. leaf on anxiety in mice. J Evid Based Complementary Altern Med. 21
30. Nadkarni KM.(2010), Indian Materia Medica. 2nd ed. Mumbai, India: Popular Prakashan.
31. Permutt, M. (2005), Genetic epidemiology of diabetes. Journal of Clinical Investigation, 115(6), 1431-1439.
32. Sowbhagya HB, Srinivas P, Krishnamurthy N.(2010), Effect of enzymes on extraction of volatiles from celery seeds. Food Chem. 120:230-234.
33. Snehalatha, C. and Ramachnadaran, A. Insight into the mechanism of primary prevention oftype 2 diabetes: improvement in insulin sensitivity and beta cell function. In: Conference in Centre for Cellular and Molecular Biology, Genetic and Epigenetic Basis of Complex Diseases. Hyderabad. 2009.
34. Tang SY, Halliwell B.(2010), Medicinal plants and antioxidants: what do we learn from cell culture and Caenorhabditis elegansstudies,BiochemBiophys Res Commun. 394:1-5.
35. WorkinehWoldeselassieHammeso,YohannesKelifaEmiru ,KefyalewAyalewGetahun and WubayehuKahaliw (2018), Antidiabetic and Antihyperlipidemic Activities of the Leaf Latex Extract of *Aloe megalacantha*Baker (Aloaceae) in Streptozotocin-Induced Diabetic Model.

1. ZareMarzouni H, Daraei N, Sharafi-Ahvazi N, Kalani N, Kooti W.(2016) The effects of aqueous extract of celery leaves (Apiumgraveolens) on fertility in female rats. World J Pharm Pharm Sci. 5:1710-1714